

TS"F" SURFACE MOUNT

Maximum / Medium / Minimum





| coeffici | ents of utilization | zonal cavi | ty method | |
|----------------------------------|----------------------|----------------------|----------------|--|
| RF | 20 | 20 | 20 | |
| RC | 80 | 70 | 50 | |
| RW | 70 50 30 | 50 30 10 | 50 30 | |
| 1 | 58 55 52 | 51 49 47 | 48 47 | |
| 2 | 53 47 43 | 44 40 38 | 42 39 | |
| . <u>f</u> 3 | 48 41 36 | 38 34 31 | 36 33 | |
| 5 4 | 43 36 31 | 34 29 26 | 32 28 | |
| room cavity ratio | 40 32 27 37 29 24 | 30 26 22 27 23 19 | 29 25 26 22 | |
| E 7 | 34 26 21 | 24 20 17 | 23 20 | |
| 2 ₈ | 32 24 19 | 22 18 15 | 21 18 | |
| 9 | 29 22 17 | 21 16 14 | 20 16 | |
| 10 | 28 20 16 | 19 15 12 | 18 15 | |
| 2 lamp 2' 120V energy saving T12 | | | | |




| FIXTURE TYPE | VOLTS | | |
|-----------------|-------|--|--|
| | | | |
| JOB INFORMATION | | | |
| | | | |

Ordering Information







48 9/16" (1233mm)

SPECIFICATIONS

Performance: Installation of a 2 lamp 40W luminaries in a room cavity ratio of 1, with reflectance of 80% ceiling, 50% wall and 20% floor, the C.U. shall not be less than .54

Materials: Cha

Chassis - 14 gauge cold rolled steel. Maximum, Medium and Minimum.

Door Frame - 14 gauge cold rolled steel with all seams welded and ground smooth and secured with allenhead center pin hardened steel. tamperproof flush captive bolts to assure a tight seal against the mounting surface. Designed to assure a tight seal against mounting surface to eliminate contraband hiding places.

Mounting Pan - 16 gauge cold rolled steel full length continuous piano hinge.

Unitized Reflector - 20 gauge cold rolled steel supports all electrical components.

Shielding - X = .250" ultraviolet stabilized polycarbonate with .125" prismatic acrylic overlay

D = .250" ultraviolet stabilized polycarbonate with .125" prismatic acrylic overlay

N = .140 KSH - 12 Acri-Tuf.L3

Shielding secured with 14 gauge cold rolled steel continuous rails on all four sides.

Finish: Chassis Exterior - white baked enamel.

Electrical: Labels: Thermally protected class "P" ballast C.B.M. approved. Non PCB. If K.O. is within 3" of ballast, use wire suitable for at least 90degrees. cUL Listed

Triumph Lighting Inc. 3685 Main Street Apple Hill, Ontario KOC 1B0 (613) 527-5897 www.triumphlighting.com